

The Road to PM Understanding

“Are we there yet?”

The US EPA PM Centers Workshop
Washington, DC
September 27, 2004

Dan Greenbaum, President
Health Effects Institute



The Road to PM Understanding

- The Questions in 1997
- The Road We're On
- Progress and the Roads Not Yet Traveled
 - Epidemiology
 - Exposure
 - Mechanisms and Susceptibility
 - Toxicity of PM Components and Sources
- *Are we there yet?*



The Questions in 1997

1. How strong is the short and long term epidemiology?

- Statistics, other pollutants, harvesting, exposure

2. Exposure

- Do central monitors represent personal exposure?

3. Mechanisms and Susceptibility

- Can there be a plausible biological mechanism?
Who's affected?

4. Are all particles created equal?

- The toxicity of PM components and sources




The Straight and Narrow Road

*A General Framework for Integrating PM Research from the
NAS report on PM research Priorities 2004*



The Real Route

AAA Never Saw Anything Like It



Measuring Progress

- Good Science is messy and takes time
 - Multiple paths (and dead ends...)
 - Understanding grows with the number of studies
- The NRC Committee identified a 13-year plan in 1998
 - We are only 6 years into that
- We are going to be at the PM NAAQS for 10 - 20 years
 - SIPs, NAAQS reviews, Accountability



1. Epidemiology

The Questions in 1997

- Could the time series studies be right?
 - Statistical methods
 - Other pollutants, PM sizes
 - Exposure
 - “Harvesting”
- Could the few longer term studies withstand close scrutiny?
- NRC Topics 7, 10



Epidemiology: Progress on Short Term Effects


- Systematic Multi-city studies
 - National Morbidity, Mortality and Air Pollution (NMMAPS) funded by HEI
 - APHEA in Europe funded by EU
- More studies with PM_{2.5}, and the gaseous pollutants
- First efforts on components, sources



NMMAPS




The Original Results (HEI 2000)

- Relatively Consistent Increase in Mortality:
 - 0.4% per $10 \mu\text{g}/\text{m}^3$ of PM_{10}
- Smaller results than previous U.S. analyses
- Apparently not sensitive to inclusion of other pollutants
- Enhanced confidence in results
- Some continuing questions
 - Especially different results in different regions



NMMAAPS

Concentration - Response for the 20 Largest US Cities (Daniels et al HEI 2004)



Epidemiology: Progress on Long-term Effects

- Reanalysis by HEI of two major long-term studies
 - Harvard 6 Cities and American Cancer Society (ACS)
- Follow-up of the ACS cohort (JAMA 2002)
- A few additional studies reported
 - Southern California Children's Study
 - Veteran's Study
 - Netherlands Cohort Pilot Study



Reanalysis Results

Sensitivity Analyses with Additional Variables

- **Overall, the reanalysis:**
 - Assured the quality of the data
 - Replicated the original results,
 - Tested those results against alternative explanations *without substantively altering the original findings of an association between indicators of particles and mortality*
- **However, also identified:**
 - Relationship with education
 - Effects of SO₂

Results from ACS Study Reanalysis


<i><u>Analysis</u></i>	<i>PM2.5</i>	<i>Sulfates</i>
Original	1.17(1.08,1.27)	1.15(1.08,1.22)
Full	1.18(1.09,1.26)	1.15(1.09,1.21)
Extended	1.18(1.09,1.26)	1.15(1.09,1.21)



Reanalysis Results

ACS Cardiopulmonary Mortality $PM_{2.5}$

Cardiopulmonary Disease Mortality (Excluding Boise City, Idaho)



Epidemiology: Continuing Challenges


- Need for continuous improvement in time series models, how to deal with weather
- We need more long-term studies
 - Still only a handful
- The gases have not gone away
 - Do not seem to eliminate PM effect
 - But several also show associations (SO₂, NO₂)
 - Does this mean independent effects? A surrogate for something else? Co-effects?




The Time Series Models Challenge (GAM)

NMMAPS: Revised Results

Original Results



Revised Results




Revised Analysis

- Over 30 studies identified by CASAC, EPA for reanalysis
- Mean estimates of effects in revised analyses generally smaller
 - 5% to 35% reduction
- Effect for PM10 still does not appear to be affected by co-pollutants
- Reanalyses renewed questions about the role of other factors (especially weather)
- ***HEI Review Panel Bottom Line:***
 - Studies continue to find associations with PM
 - some benefits estimates will be smaller
 - Need for continuous improvement



2. Exposure




Exposure Progress

- Can central monitors reflect actual personal exposure? (NRC Topics 1, 2)
 - Few studies available in 1997
- A number of new studies now completed
 - EPA, HEI, API, EPRI
 - Outdoor, indoor and personal monitors
 - Elderly, children, asthmatics
- Outdoor PM contributes significantly to PM exposure
 - Other sources not correlated day-to-day with PM



Tracers of Outdoor Contribution to Indoor PM(RIOPA)



✓ S used as a tracer to determine the contribution of outdoor PM to indoor PM (Outdoor contribution to indoor PM = $S_{in}/S_{out} * PM_{out}$).

✓ S tracer for regional PM

✓ In RIOPA, indoor and outdoor EC are highly correlated.

✓ Few homes appear to have indoor sources of EC.

✓ EC tracer of local combustion.

Courtesy of B Turpin (RIOPA study), presented at AAAR 2003 PM Colloquium




Exposure:

Continuing challenges

- Need to expand:
 - the number of subjects
 - the types of potentially susceptible individuals
- Better measurement of components and sources of personal exposure
 - NRC Topic 2
- New measurement techniques
 - to enhance ability to detect exposures
 - at lower cost with more precision



3. Mechanisms and Susceptibility



Mechanisms/Susceptibility Progress

- 1997: Few studies suggesting plausible mechanisms
 - NRC Topics 6, 8, and 9
- Today:
 - Many potential pathways
 - Some toxicology or epidemiology for each
- Growing number of potential susceptibles
 - Elderly, children
 - Lung disease
 - Cardiovascular disease
 - Other diseases (e.g. diabetes found by Goldberg (2000), confirmed by Zanobetti (2002))



Mechanisms/Susceptibility: Continuing Challenges

- We are in the early stages
 - Latest draft CD notes this in Chapters 7 and 8
 - Need to look at long term mechanisms
 - Need better dose-response info
- First human controlled exposure studies have shown few or modest effects
 - Need more human data (of necessity initial studies have been in healthy or only mildly ill volunteers)
- Draw more experts from other health fields into air pollution (e.g. CVD)




4. Toxicity of PM Components and Sources

- 1997 questions (NRC Topic 5):
 - Is all PM equally toxic?
 - How can we ensure that we control the components and sources with the highest public health effects?
- Progress
 - More epidemiology and toxicology studies on this topic
 - To date:
 - High dose toxicology - most things toxic
 - Many correlated components in epidemiology
 - As yet, few systematic approaches




Toxicity of Components and Sources Challenges

- Many empty boxes in the “matrix”
- **Systematic approaches:**
 - Tox: comparable tests of all components; realistic exposures
 - Epi: systematic multi-city approaches
 - Better tools for linking effect, components, gases, and sources



5. Tools for Source Apportionment




Tools for Source Apportionment

A Challenge Going Forward

- A key challenge for successful implementation of PM SIPs, controls
 - NRC Topics 3 and 4
- Need:
 - Enhanced emissions characterizations and factors for all primary and precursor emissions
 - Improved models for source apportionment and assessment of potential control strategies



Are we there yet?



Are we there yet?

- We've made progress on the road to PM understanding
- We know more about:
 - The epidemiology
 - Exposure
 - A series of possible mechanisms and susceptible populations



Are we there yet?

- To reach our final destination – *cost effective public health strategies for PM over the next 10 years* – we will need:
 - Continuous improvement in epidemiology (models, more long term studies)
 - Improved mechanistic understanding (dose-response, long term)
 - A systematic approach to toxicity of PM components and sources (and the gases!!!)
 - Enhanced tools for source apportionment



Thank You!

Dan Greenbaum

dgreenbaum@healtheffects.org

www.healtheffects.org

